

STATE OF ALASKA

SEAN PARNELL, GOVERNOR

ALASKA OIL AND GAS CONSERVATION COMMISSION

333 W. 7th AVENUE, SUITE 100
ANCHORAGE, ALASKA 99501-3539
PHONE (907) 279-1433
FAX (907) 276-7542

ADMINISTRATIVE APPROVAL AREA INJECTION ORDER NO. 4E.042

Ms. Allison Cooke
UIC Compliance Advisor
BP Exploration (Alaska) Inc.
P.O. Box 196612
Anchorage, AK 99519-6612

RE: Authorized Fluids for EOR and Pressure Maintenance of the Eastern Operating Area of the Prudhoe Oil Pool, Put River Oil Pool, Lisburne Oil Pool, Pt. McIntyre Oil Pool, West Beach Oil Pool, and Stump Island Oil Pool

Dear Ms. Cooke:

By letter dated April 30, 2012, BP Exploration (Alaska) Inc. (BPXA) requested that the Alaska Oil and Gas Conservation Commission (AOGCC) administratively amend the following Area Injection Orders (AIO): 3A, 4E, 14A, 20, 22E, 24B, 25A, 26B and 31. BPXA requested the amendments in an effort to standardize the fluids authorized for injection for enhanced recovery and pressure maintenance for the oil pools in the Prudhoe Bay Field. BPXA requested the standardization due to the complexity of managing injection operations for multiple pools, with different lists of authorized fluids, which are served by common production facilities. In accordance with terms set forth below, **BPXA's request is APPROVED, with a minor change to the wording proposed by BPXA.**

BPXA proposes that AIO No. 4E be modified to approve the following for EOR and pressure maintenance injection.

- Produced water and gas;
- Enriched hydrocarbon gas;
- Non-hazardous water and water based fluids – (includes seawater, source water, freshwater, domestic wastewater, equipment washwater, sump fluids, hydrotest fluids, firewater, and water with trace chemicals, and other water based fluids with a pH greater than or equal to 2 or less than or equal to 12.5 and flashpoint greater than 10 degrees F);
- Fluids introduced to production facilities for the purpose of oil production, plant operations, plant/piping integrity or well maintenance that become entrained in the produced water stream after oil, gas, and water separation in the facility. Includes but not limited to:
 - o Freeze protection fluids;
 - o Fluids in mixtures of oil sent for hydrocarbon recycle;

- Corrosion/scale inhibitor fluids;
- Anti-foams/emulsion breakers;
- Glycols
- Non-hazardous glycols and glycol mixtures;
- Fluids that are used for their intended purpose within the oil production process.
Includes:
 - Scavengers;
 - Biocides
- Fluids to monitor or enhance reservoir performance. Includes:
 - Tracer survey fluids;
 - Well stimulation fluids;
 - Reservoir profile modification fluids.

As shown above, the list of fluids for which BPXA seeks approval uses the terms “includes” and “includes but not limited to.” Words such as “includes” and “including” along with phrases such as “includes but is not limited to” inappropriately delegate to BPXA the authority to determine what additional fluids are approved. Therefore, this approval modifies BPXA’s proposal to delete the use of any such language as set forth below.

In support of its application, BPXA submitted a fluid compatibility review based on previous orders and laboratory testing. This review showed that the proper handling and treating, including the use of scale inhibitors, of the injection fluids as well as the proper operation and maintenance, including the pumping of scale remover and acid treatments, of the injection wells will prevent or counteract incompatibility effects. Thus there are no operational risks associated with injection of the proposed fluids in this pool.

The change proposed by BPXA will result in increased production, is based on sound engineering and geotechnical reasons, does not promote waste or jeopardize correlative rights, and will not result in increased risk of fluid movement into freshwater. Correlative rights are protected because all lands subject to these orders have been unitized. Freshwater is protected by the proper design and completion of the wells, ongoing/periodic mechanical integrity evaluation required for all injection wells and review of the offset wells to ensure that they won’t act as conduits to fluid movement.

NOW THEREFORE IT IS ORDERED THAT:

Rule 1 of AIO 4E is repealed and replaced by the following:

Rule 1 Authorized Injection Strata and Fluids for Enhanced Recovery

Within the affected area and the following strata:

The Prudhoe Oil Pool strata defined as (i) the accumulations of oil that are common to and that correlate with the accumulations found in the Atlantic Richfield - Humble Prudhoe Bay State No. 1 well between the depths of 8,110 feet and 8,680 feet, and (ii) the accumulation of oil that is common to and correlates with the interval from 9,638 to 9,719 measured feet on the Borehole Compensated Sonic Log, Run 2, Dated September 28, 1975, in the Atlantic Richfield-Exxon NGI No. 1 well, and that is in hydraulic communication with the gas cap of the former accumulations in the Sag River Formation. The latter accumulation is found within the following area:

Umiat Meridian.

T11N R14E: Sections: 1, 2, 11(N/2 and SE/4), 12, 13, 14(E/2), 23(NE/4), 24, 25(N/2); T11N R15E: Sections: 6, 7, 8, 17, 18, 19, 20, 29(N/2), 30(N/2);
T12N R14E: Sections 35, 36

The Put River Oil Pool strata defined as the sandstone reservoirs in the Southern, Central and Western lobes that correlate with the interval 9,638 to 9,719 measured feet on the Borehole Compensated Sonic Log, Run 2, Dated September 28, 1975, in the Atlantic Richfield-Exxon NGI No. 1 well, but excluding the Northern Lobe reservoirs that are in pressure communication with the Prudhoe Oil Pool gas cap in the Sag River Formation. The Put River Oil Pool is found within the following area:

Umiat Meridian.

T11N R14E Sections: 3, 4, 9, 10, 11(SW/4), 14(W/2), 15, 16, 21, 22, 23(W/2 and SE/4), 25(S/2), 26, 27, 28, 33, 34, 35, 36; T11N R15E Sections: 29(S/2), 30(S/2), 31, 32;
T10N R14E Sections: 1, 2, 3, 11, 12, 13, 14;
T10N R15E Sections: 5, 6, 7, 8, 17, 18

The Lisburne Oil Pool strata, which correlate with and are common to the formations found in the ARCO Prudhoe Bay State No. 1 well between the measured depths of 8,790-10,440.

The Pt. McIntyre Oil Pool strata, which correlate with and are common to the formations found in the Pt. McIntyre No. 11 well between the measured depths of 9,908-10,665 feet.

The West Beach Oil Pool strata, which correlate with and are common to the formations found in the West Beach No. 4 well between the measured depths of 14,458-14,781 feet.

The Stump Island Oil Pool enhanced recovery plans will be evaluated on a well-by-well basis in conjunction with Pt. McIntyre Oil Pool development.


The following fluids may be injected for pressure maintenance and enhanced recovery purposes:

- a) Produced water and gas from Prudhoe Bay Unit processing facilities;
- b) Enriched hydrocarbon gas;
- c) Non-hazardous water and water based fluids – (specifically seawater, source water, freshwater, domestic wastewater, equipment washwater, sump fluids, hydrotest fluids, firewater, and water with trace chemicals, and other water based

- fluids with a pH greater than or equal to 2 or less than or equal to 12.5 and flashpoint greater than 10 degrees F);
- d) Fluids introduced to production facilities for the purpose of oil production, plant operations, plant/piping integrity or well maintenance that become entrained in the produced water stream after oil, gas, and water separation in the facility. Specifically:
- i. Freeze protection fluids;
 - ii. Fluids in mixtures of oil sent for hydrocarbon recycle;
 - iii. Corrosion/scale inhibitor fluids;
 - iv. Anti-foams/emulsion breakers;
 - v. Glycols
- e) Non-hazardous glycols and glycol mixtures;
- f) Fluids that are used for their intended purpose within the oil production process. Specifically:
- i. Scavengers;
 - ii. Biocides
- g) Fluids to monitor or enhance reservoir performance. Specifically:
- i. Tracer survey fluids;
 - ii. Well stimulation fluids;
 - iii. Reservoir profile modification fluids.

In addition administrative approvals AIO 4C.002, 4E.022, 4E.023, and 4E.034, which specified additional authorized fluids, are hereby repealed.

DONE at Anchorage, Alaska and dated September 4, 2012.


Daniel F. Seamont, Jr.
Commissioner


John K. Norman
Commissioner



RECONSIDERATION AND APPEAL NOTICE

As provided in AS 31.05.080(a), within **20** days after written notice of the entry of this order or decision, or such further time as the AOGCC grants for good cause shown, a person affected by it may file with the AOGCC an application for reconsideration of the matter determined by it. If the notice was mailed, then the period of time shall be **23** days. An application for reconsideration must set out the respect in which the order or decision is believed to be erroneous.

The AOGCC shall grant or refuse the application for reconsideration in whole or in part within 10 days after it is filed. Failure to act on it within 10-days is a denial of reconsideration. If the AOGCC denies reconsideration, upon denial, this order or decision and the denial of reconsideration are **FINAL** and may be appealed to superior court. The appeal **MUST** be filed within **33** days after the date on which the AOGCC mails, **OR 30** days if the AOGCC otherwise distributes, the order or decision denying reconsideration, **UNLESS** the denial is by inaction, in which case the appeal **MUST** be filed within **40** days after the date on which the application for reconsideration was filed.

If the AOGCC grants an application for reconsideration, this order or decision does not become final. Rather, the order or decision on reconsideration will be the **FINAL** order or decision of the AOGCC, and it may be appealed to superior court. That appeal **MUST** be filed within **33** days after the date on which the AOGCC mails, **OR 30** days if the AOGCC otherwise distributes, the order or decision on reconsideration. As provided in AS 31.05.080(b), "[t]he questions reviewed on appeal are limited to the questions presented to the AOGCC by the application for reconsideration."

In computing a period of time above, the date of the event or default after which the designated period begins to run is not included in the period; the last day of the period is included, unless it falls on a weekend or state holiday, in which event the period runs until 5:00 p.m. on the next day that does not fall on a weekend or state holiday.